



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Mr. Steven Rogosheske Chem-Tech, Ltd. 4515 Fleur Drive, #303 Des Moines, IA 50321 MAY 1 0 2012

Dear Mr. Rogosheske:

Subject: Application for Pesticide Notification (PRN 98-10)
Add marketing claims
CT Premium Dairy Aerosol
EPA Reg. No. 47000-94
Your submission dated April 4, 2012

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated April 4, 2012 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Please note that the term "Unique" in the first front panel claim, related to a proprietary delivery system, may only appear on the label for 6 months from the date of this letter.

If you have any questions regarding this letter, please contact Dana Pilitt, PhD of my staff at (703) 305-7071 or via e-mail at pilitt.dana@epa.gov.

Sincerely,

Richard Gebken
Product Manager 10
Insecticide Branch

Registration Division (7505P)

Places and materials on		form		e al	okan ki		Print Fo		
United States Environmental Protection Age Washington DC 20460			•	negistration			entifier Number		
	A	pplication	for Pesticid	e Section	<u> </u>		<u></u>		
1 Company/Product Number 47000 94 4 Company/Product (Name)			į.	2 EPA Product Menager Richard Gebken Mone Restricte					
CT Premium Dairy Aerosol 5 Name and Address of Applicant (Include ZIP Code) Chem Tech Ltd 4515 Fleur Drive #303 Des Moines IA 50321			6 Expedited Reveiw In accordance with FIFRA Section 3(c)(3) (b)(i) my product is similar or identical in composition and labeling to EPA Reg No						
Check if this	is a new address			t Name					
····			Section II						
Resubmission in resp Notification Explain Explanation Use addition Add marketing claims to	nal page(s) if necessary	(For section I a	and Section II)	Agency letter da Me Too Appla Other Explain i	cation				
		· · · · · · · · · · · · · · · · · · ·	Section III						
1 Material This Product Will	Be Packaged in								
Child Resistant Packaging Yes X No * Certification must be submitted	Yes No If Yes Unit Packaging wgt Container			Water Soluble Packaging 2 Yes X Noxt If Yes Package wgt No per Container			ype of Container X Metal Plastic Glass Paper Other (Specify)		
Location of Net Contents	Information 4	Size(s) Retail (5 L	ocation of Lat	el Direction	ns	<u></u>	
X Label Container 5 20			5 20 lbs			ng accompa	ning product	(
6 Manner in Which Label is	Affixed to Product	Lithograph Paper glue Stenciled	n ed	Other				_	
			Section IV						
1 Contact Point (Complete	items directly below for	dentification of	findividual to be	contacted if ne	cessary to pr	ocess this	application))	
Name Title Steve Rogosheske Dire				tor Regulatory Affairs			Telephone No (Include Area Code) 515 287 6778		
	ments I have made on ti y knowlinglly false or m		ettachments ther				6 Date App Received		

Director Regulatory Affairs

5 Date

both under applicable law

4 Typed Name

Steven E Rogosheske



April 4, 2012

FAX: (515) 287-6923

Document Processing Desk (NOTIF) Office of Pesticide Programs – (7504P) U. S. Environmental Protection Agency Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, DC 20460

Subject: NOTIFICATION

CT Premium Dairy Aerosol EPA Reg. No. 47000-94

Notification Team:

Chem-Tech, Ltd. is submitting the subject product for notification to add marketing claims consistent with the product and the label to the front panel of the label. This information deals with the type of fixed system the product is designed to use in and the fact that the product comes in returnable refillable cylinders. This notification is being filed in accordance with PR-Notice 98-10.

Along with the application form, we are enclosing two copies of the label with the additions highlighted on one label. If there are any questions regarding this submission please contact this office.

Sincerely,

Steven E. Rogosheske

Director Regulatory Affairs E-mail: srogo@prozap.com

Enclosures



PREMIUM DAIRY AEROSOL

- This Unique Aerosol System Employs Liquid Carbon Dioxide as a Solvent and Propellant.
- To be Used With Aerotech® Spray Systems.
- No Cylinders to Dispose of
- These Cylinders are Returned to the Manufacture for Refilling

ESPECIALLY FORMULATED FOR:

Dairy Farms (including Milk Houses, Milking Parlor, Loafing Sheds and Holding Lot). Poultry and Hog Operations, Horse Barns and Stables, Beef Cattle Operations, Kennels, Catteries, Food Storage Areas, Meat Packing and Food Processing Plants, Homes, Hotels, Stores and Restaurants.

KILLS: House Flies, Stable Flies, Gnats, Mosquitoes, Wasps, Small Flying Moths, Fruit Flies, Grain Weevils, Flour Beetles, Chocolate Moths, Carpet Beetles, Drug Store Beetles, Roaches (Waterbugs), Spiders, Ants, Silverfish and Crickets.

ACTIVE INGREDIENTS:

Pyrethrins	0.7 %
Technical Piperonyl Butoxide*	5.0 %
INERT INGREDIENTS**:	94.3 %
TOTAL	100.0 %

^{*}Equivalent to 4.00% (butylcarbityl)(6-propylpiperonyl) ether and 1.0% related compounds

KEEP OUT OF REACH OF CHILDREN WARNING

FIRST AID

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a

poison control center or doctor for further treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for

15-20 minutes. Call a poison control center or doctor for treatment advice. Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice.

If swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless

told to do so by a poison control center or doctor. Do not give any liquid to the

person. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the National Pesticide Information Center at 1-800-858-7378.

> NOTIFICATION MAY 1 0 2012

If in eyes:

^{**}Contains Petroleum Distillate

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes.

Do not apply directly to food. In commercial food handling and processing facilities, do not make space spray application when facility is in operation. During space spray applications, cover or remove food. During space spray applications, cover food processing surfaces or clean after treatment with a suitable detergent and rinse with potable water before use.

Remove pets, birds (except in commercial poultry operations) and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposures to temperatures above 130° F may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc.

Personal Protective Equipment (PPE)

Mixers, loaders, applicators, and other handlers must wear the following:

- long-sleeve shirt,
- long pants,
- shoes and socks

In addition to the above PPE, applicators using hand held foggers in an enclosed area must wear a half-face, full-face, or hood-style NIOSH-approved respirator with:

- a dust/mist filtering cartridge (MSHA/NIOSH approval number prefix TC-21C) or,
- a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or
- a cartridge or canister with any R, P or HE filter.

USER SAFTEY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Apply this product only as specified on this label.

General Precautions and Restrictions

For all space spraying operations: Do not remain in treated areas. Exit area immediately and remain outside the treated area until aerosols, vapors and/or mists have dispersed.

Only protected handlers may be in the area during treatment.

FOR INDOOR USE ONLY. Premium Dairy Aerosol should be applied only with the appropriate high pressure gun and hose or through a fixed spray system.

The portable system with its hand-held gun will produce a specific discharge rate, expressed in grams per second, depending on the nozzle size used. In a semi-portable system, or through a fixed installation, a dosing cylinder of a designated fill weight is connected to a nozzle system, thereby permitting a fixed dosage rate. This is calculated from the total cubic capacity of the premises. Different sizes of dosing cylinders thereby control the application rate. Where the dosing cylinder is filled from a supply cylinder, leave the

Page 2 of 4

valve open in the fill position prior to fogging for ten matter to allow the pressure to balance. Turn the valve from the fill position to the fog (spray) position to release insecticide and propellant. The semi portable system can also be operated on a timer without a dosing cylinder. Do not apply this product ou side it e temperature range of 50 95°F.

AGRICULTURAL USES For control of House Flies Horn Flies Stable Flies Gnats Mosquitoes Small Flying Moths

DAIRY FARM USE MILKING PARLOR AND MILK ROOMS – Close all doors and windows Spray at the rate of 0 21 oz (6 grams) per 1 000 cubic feet. If rooms cannot be closed tight double the dosage. Stand in the middle of room direct fog upwards and spray in all directions. Keep room closed for 15 minutes after treatment. Ventilate the area after treatment is completed. Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teat of animals before milking. Do not apply more than 1 time per day.

POULTRY OPERATIONS In poultry houses close all widows and doors. Spray roosts walls and cages thoroughly. Spray at a rate of 0.21 oz. (6 grams) per 1000 cubic feet of space. After 15 minutes, ventilate the area. Treat daily or when infestations occur but do not apply more than 1 time per day.

HOG OPERATIONS In hog houses close all windows and doors. Spray at the rate of 0.21 oz. (6 grams) per 1.000 cubic feet. Keep area closed for 15 minutes following application. Repeat application daily or when infestations occur but do not apply more than 1 time per day.

HORSE BARNS AND STABLES In horse and pony barns close all windows and doors. Apply at the rate of 0.21 oz. (6 grams) per 1.000 cubic feet. Keep area closed for 15 minutes following application. Repeat application daily or when infestations occur but do not apply more than 1 time per day.

BEEF CATTLE OPERATIONS In barns close all windows and doors. Apply at the rate of 0.21 oz (6 grams) per 1.000 cubic feet. Keep area closed for 15 minutes following application. Repeat application daily or when infestations occur but do not apply more than 1 time per day.

NON AGRICULTURAL USES

KENNELS AND CATTERIES Remove animals before spraying Ventilate after treatment is completed Do not apply more than 1 time per day

FLYING INSECTS Flies Mosquitoes Gnats Wasps Small Flying Moths Close all windows and doors and direct fog upward at a rate of 0 21 oz (6 grams) per 1 000 cubic feet Disperse in all locations Keep area closed for 15 minutes

FOOD STORAGE AREAS MEAT AND FOOD PROCESSING PLANTS

Close all doors and windows shut off all heating ventilation and air conditioning (HVAC) equipment and keep the area closed for a minimum of 2 hours. The frequency of application should be determined by the degree of infestation and should be sufficient to interrupt the life cycle of the target species. The application of insecticide should also be timed to coincide with the peak activity of the target species. The dosage rates given below pertain to exposure periods of 2 hours.

Do not make space spray application when facility is in operation. During space spray applications cover or remove food. During space spray applications cover food processing surfaces or clean after treatment with a suitable detergent and rinse with potable water before use. Do not apply more than 1 time per day

HOME MEAT AND FOOD PROCESSING AREA USE For flies mosquitoes small fling moths (millers) and gnats. Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room especially windows and other light sources, which attract these insects. Apply at a rate of 0.21 to 0.39 oz (6.11 grams) per 1000 cubic feet, and then leave the treated areas. Keep the room closed for at least 2 hours. Ventilate the room when treatment is completed. Roaches, Waterbugs, Sowbugs, Spiders and Centipedes. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Do not apply more than 1 time per day.

FOR USE IN STORAGE SITES This product can be used in warehouse bins and trucks cargo ships mills bin hoppers elevators and conveying equipment as a clean up prior to using them for storage Close doors

and windows. Direct aerosol mist to all parts of the room especially into dark enclosures and around stored product containers where adult moths may be resting. Use at a rate of 0.53 to 0.6 oz. (15. 17 grams) per 1.000 cubic feet of space. Keep area closed for 2 hours after each treatmen. In mills and elevators all grain infested accumulations should be removed from the bin hoppers. All slorage areal and conveying equipment should be thoroughly cleaned by sweeping out the waste grain hobwebs and other debril from the walls and rafters as well as on the floor and door frames with special attention to material lodged in the cracks and crevices. All of the debrils should be removed and burned to kill eggs and insects that might be present. Repeat treatment weekly or as flying moths appear. Do not apply more than 1 time per day

FOR USE ON STORED PRODUCTS This product can be used on rice grain nuts dried fruit beans almond nutmeat and shells pistachio dried prunes dried apricots raisins figs wheat oats corn barley rye tobacco and peanuts held for storage for control of the accessible stages of Almond Moths Angoumois Grain Moths Cadelle Beetles Cigarette Beetle Confused Flour Beetles Granary Weevils Indian Meal Moths Red Flour Beetles Rice Weevils Rusty Grain Beetles Sawtoothed Grain Beetles Square Necked Grain Beetles and Tobacco Moths Do not apply more than 1 time per day

ROACHES SPIDERS ANTS SILVERFISH CRICKETS Hold aerosol close to cracks and mist directly into them contacting as many insects as possible. Apply freely in all possible hiding places behind baseboards sinks cabinets coffee makers meter boxes and manholes. Do not apply more than 1 time per day

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage or disposal

PESTICIDE STORAGE This cylinder must be checked periodically. A defective cylinder should not be used. A cylinder that has parts missing is plainly worn or distorted should be replaced immediately. Store upright in a cool and dry area.

PESTICIDE DISPOSAL Pesticide that cannot be used according to label instructions must be returned to the point of purchase in its original container

CONTAINER DISPOSAL This cylinder must not be disposed of in any manner. Cylinders must be returned to point of purchase for credit. All cylinders valves and caps remain the property of the manufacturer. Federal regulations prohibit the refilling of cylinders without written consent of the manufacturer.

NOTICE TO USER It is impossible to eliminate all risks inherently associated with the use of this product Crop injury ineffectiveness or other unintended consequences may result because of such factors as weather conditions presence of other materials or the manner of use or application all of which are beyond the control of Chem Tech. Ltd. the manufacturer or seller. In no case shall Chem Tech. Ltd. the manufacturer or seller be liable for consequential special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer.

Except as expressly provided herein. Chem Tech. Ltd. the manufacturer or seller makes no warranties guarantees or representations of any kind either express or implied or by usage of trade statutory or otherwise with regard to the product sold including but not limited to merchantability fitness for a particular purpose use or eligibility of the product for any particular trade usage. Buyer's or user's exclusive remedy and Chem Tech. Ltd's the manufacturer's or seller's total liability, shall be for damages not exceeding the cost of the product.

Net Weight_____

Manufactured By CHEM TECH LTD 4515 Fleur Drive Des Moines IA 50321 EPA REG NO 47000 94

EPA EST NO 47000 IA 1

4/1/2012 Notification